

The future of
fire door safety.

Brought to you
by DoorCo.





FIRECORE is a step above the rest, achieving market leading results for fire safety and security. The reassurance you need when choosing a fire door, paired with unrivalled versatility and style.



Largest range of composite fire doors on the market



FIRECORE range UKCA Approved



Security PAS24: 2022 and Secured by Design



Smoke Resistance BS EN 1634-3



Fire Resistance BS EN1634-1



Fire integrity up to 61 minutes




37 - 48kg




10 Year Warranty



ISO: 9001
ISO: 14001




4 Slab Designs.
6 Stock Colours.
13 Glazing Positions.



- 1 Engineered Hardwood Subframe**
Provides stability and rigidity to the door, as well as creating space for trimming down to required sizes without removing foam.
- 2 LVL (Laminated Veneered Lumber)**
Additional stability for larger sized doors.
- 3 Fire Resistant Phenolic Foam**
Fire-retardant, insulating foam which provides both fire protection and general insulation to the property.
- 4 GRP Skins**
An aesthetic choice for the external finish of our fire doors to provide them with the same woodgrain finish as our other ranges.

The Golden Thread



DoorCo Korea Q Mark 047 Door Blank Scheme.

Door Blanks are manufactured and supplied by DoorCo as part of the BM Trada 047 Door Blank Q-Mark Scheme and are subject to annual factory process control auditing to maintain continuous certification.

Winkhaus UK Q-Mark 171 System Supplier Scheme

Doorset supplied using the Winkhaus FireFrame® incorporating the DoorCo door blank are tested and approved for resistance to fire, ambient smoke control and PAS24 security as part for the BM Trada 171 Composite System Supplier scheme, which is subject to annual process control auditing to maintain continuous certification.

FireCore in FireFrame shows great consistency as a fire doorset combination having passed more than 50 tests when tested to EN1634-1

DoorCo System Supplier Certification Q-Mark Certification

DoorCo UK are approved under the Winkhaus System Supplier Scheme for the machining of door blank and are subject to annual audit for continuous certification.

FiRECORE Doorset manufacturers Q-Mark Composite Fire Door Scheme 170.

DoorCo UK are authorized and approved under the BM Trada 171 Composite - Winkhaus System Supplier Scheme for the machining of DoorCo door blanks. This service is also subject to annual process control auditing to maintain continuous certification. FiRECORE doorset manufacturers have triple Q certification.



- » Q Mark for fire resistance
- » Q Mark for smoke resistance
- » Q Mark for security

This mirrored approach ensures continuity of specification across all doorsets supplied within the FiRECORE range.

FIRECORE[®]



in partnership with


**WINK
HAUS**

Largest Range of Composite Fire Doors on the Market.


The FiRECORE range can incorporate side light frames, top light frames and both side and toplight frames to create full screens.






All permutations approved for internal application with 3 approved for external (UKCA) application.






External (UKCA)
Approved



External (UKCA)
Approved



External (UKCA)
Approved



Protected and Precise.

Our most popular blank style, designed to replicate the most common traditional door styles. Highly defined mouldings with a distinctive woodgrain texture.

A subtly wood-grained blank with no mouldings for a sleek modern look. Available in a wide variety of prepped styles.

A grooved, panelled blank design for a cottage feel. The ultimate country classic and the perfect match to popular interior door designs.

Available via special order with lead time of 3 months.

Our smoothest blank designed to replicate the look of contemporary aluminium doors. Perfect as a sleek solid door or with different glazed options.

Available via special order with lead time of 3 months.




Panelled

Flush

Farmhouse

Links

An element of its own.



6 Panel Combi

The 6 Panel Combi is a traditional blank style that incorporates our most popular prepped design, Carnoustie. A classic panelled look with 3 options, providing timeless charm.



Traditional. Reliable. Safe.

Approved for external (UKCA)
& internal application.



Door leaf height		Minimum door leaf width		Maximum door leaf width	Fire rated Glass Options*
Minimum	Maximum	Glazed	Solid	Glazed or Solid	Pyroguard or Pyrodur
1913mm	2013mm	758mm	722mm	914mm	Glass Obscurity Options
					Clear or Satin
					*Glass must be sourced from an approved supplier.

Flush

The Flush is a smooth, modern blank with no mouldings. Incredibly versatile the subtle wood-grain looks just as good as a solid as it does with a variety of glazing options from Saunton through to Single.



Modern. Accessible. Safe.

Approved for internal applications only.

Flush Solid



Flush Carnoustie



Flush Saunton Centre



Flush Saunton Left



Flush Saunton Right



Flush Sunningdale Centre



Flush Sunningdale Left



Flush Sunningdale Right



Flush Muirfield



Flush Diagonal Twin Top Left



Flush Diagonal Twin Top Right



Flush Single Top Centre



Flush Single Top Left



Flush Single Top Right



Door leaf height	
Minimum 1913mm	Maximum 2013mm

Minimum door leaf width	
Glazed 758mm	Solid 722mm

Maximum door leaf width
Glazed or Solid 914mm

Fire rated Glass Options*

Pyroguard or Pyrodur

Glass Obscurity Options

Clear or Satin

*Glass must be sourced from an approved supplier.

Farmhouse

The Farmhouse is a grooved, panelled blank style with a wide range of prepped designs from a Farmhouse solid to the ever in-demand Sunningdale centre.

Available via special order with lead time of 3 months.



Classic. Secure. Safe.

Approved for internal applications only.

Farmhouse
Solid



Farmhouse
Carnoustie



Farmhouse
Saunton Centre



Farmhouse
Saunton Left



Farmhouse
Saunton Right



Farmhouse
Sunningdale Centre



Farmhouse
Sunningdale Left



Farmhouse
Sunningdale Right



Farmhouse
Muirfield



Farmhouse Diagonal
Twin Top Left



Farmhouse Diagonal
Twin Top Right



Farmhouse Single
Top Centre



Farmhouse Single
Top Left



Farmhouse Single
Top Right



Door leaf height

Minimum
1913mm

Maximum
2013mm

Minimum door leaf width

Glazed
758mm

Solid
722mm

Maximum door leaf width

Glazed or Solid
914mm

Fire rated Glass Options*

Pyroguard or Pyrodur

Glass Obscurity Options

Clear or Satin

*Glass must be sourced from an approved supplier.

Links

The Links was designed with contemporary style in mind. Our smoothest blank that mimics popular aluminium doors with a selection of prepped options from Solid to Muirfield.


Available via special order with lead time of 3 months.



Smart. Sleek. Safe.

Approved for internal applications only.

Links
Solid



Links
Carnoustie



Links
Saunton Centre



Links
Saunton Left



Links
Saunton Right



Links
Sunningdale Centre



Links
Sunningdale Left



Links
Sunningdale Right



Links
Muirfield




Links Diagonal
Twin Top Left




Links Diagonal
Twin Top Right




Links Single
Top Centre



Links Single
Top Left



Links Single
Top Right



Door leaf height	
Minimum 1913mm	Maximum 2013mm

Minimum door leaf width	
Glazed 758mm	Solid 722mm

Maximum door leaf width
Glazed or Solid 914mm

Fire rated Glass Options*
Pyroguard or Pyrodur

Glass Obscurity Options
Clear or Satin

*Glass must be sourced from an approved supplier.



The future of
fire door safety.

Brought to you
by DoorCo.







Brought to you
by DoorCo.



Copyright © 2025

All images portrayed in this brochure should not be reproduced without specific written permission from the original owner of the artwork. Images, designs and colours are for illustrative purposes only and may differ when manufactured. We reserve the right to amend or withdraw any products within this brochure without prior notice. Door colours shown in this brochure should be used for guidance only.