

GERDA®

SUPERBLY ENGINEERED DOORS

Optima 60





REIMAGINING RESIDENTIAL DOOR STANDARDS

Pioneer are the UK's exclusive distributors of the Gerda residential door range, delivering style and performance in equal abundance. Pound for pound, Gerda categorically outclass and outperform any other door. Choose the doors forged with strength, resilience and durability.



TABLE OF CONTENTS

INTRODUCTION	2
GERDA® OPTIMA 60	4
NEW DOOR DESIGNS	6
DOOR DESIGNS	8
HARDWARE CONFIGURATIONS	12
LOCK CYLINDER CONFIGURATIONS	13
LETTERPLATE OPTIONS	13
COLOUR OPTIONS	14
tedee POWERED BY GERDA®	16
INSPIRATIONAL IMAGERY	18



TEMPO · SNUB MILANO 4 B · WINCHESTER · INSERT BLACK · MONTREAL · BLOKTW200

ALUTHERM 60 DOOR FRAME
SOLID / GLAZED DOOR

$U_d = 1.0 / 1.3 \text{ W/m}^2\text{K}$

RC2 / RC3*

GERDA®
OPTIMA 60



Anti-burglary vertical bolt driven by the main lock



3 hinge guards



Hinges adjustable in two planes with caps matching fitting's colour



Adjustable keep enables smooth adjustment of the contact force of door and seals



ALUTHERM 60 aluminium frame



DOOR THICKNESS



3-bolt class 6 additional GERDA ZW 500 lock




3-bolt class 7 main GERDA ZW 2000 lock



Single key, AB system Class 6 lock cylinders




2-bolt auxiliary lock driven by the main lock



Low aluminium threshold



3 sides rebated



Cill, 4 sizes available: 120 mm, 150 mm, 180 mm, 230 mm



tedee smartlock + bridge

DIMENSIONS




WIDTH (MIN-MAX)**

840 mm - 1130 mm

HEIGHT (MIN-MAX)**

1950 mm - 2200 mm

* RC grade 2 or 3 according to EN1627 standard, depends on door size and design.
** Height dimensions shown above exclude sill (27 mm) & extensions but include a low threshold as standard.
Optima widths and heights come in increments of 10 mm. Width and height range depends on design and colour of the door.



ALUTHERM 60 aluminium frame



NEW design added to range.

Meet the **GERDA Hawkstone.**



CLASSIC FRAMES



Decorative mouldings in the doors of the ELITE 3D series are made of thick aluminium profiles and attached to the leaf with special hooks. The frames are made in the colour of the door leaf.

DOOR COLOURS		MAX HEIGHT*
FSB	WHITE	2200 mm
FKZ	STEEL GREY	2100 mm
FKG	ANTHRACITE	2200 mm
FKF	DARK ANTHRACITE	2200 mm
FKC	BLACK	2100 mm
FRR	ALPINE WALNUT	2100 mm
FMA	MAHOGANY	2087 mm
FRB	BRAZILIAN WALNUT	2100 mm
FRP	LIGHT WALNUT	2200 mm
FDE	GOLDEN OAK	2200 mm
FDW	WINCHESTER	2200 mm
FDT	TURNER OAK	2087 mm
FEJ	LIGHT WENGE	2100 mm


DOOR RANGE	WIDTH	HEIGHT*
ELITE 3D	840 – 1130 mm	1950 – 2200 mm*

* Certain conditions apply.
** Hawkstone comes with double side pattern as a standard


HARDWARE
OPTIONS

HANDLE-HANDLE


BLOK TW200



BERGEN TW300




BERGEN TD300




KNOB-HANDLE


BLOK TW200




BERGEN TW300



BERGEN TD300



HARDWARE &
LETTERPLATE COLOURS







GLASS COLOURS



CILL OPTIONS

Cills with thermal compensation available in door colour.





HAWKSTONE – double-sided design as standard



NS1B MILANO 8 B



NS2 MILANO 9



NS3 MILANO 10



NS5B HANOVER 5 B



NS6 HANOVER 6



NS7 INNSBRUCK



W00 PLAIN



SNUB MILANO 4 B



NT1 TURYN 1



NT2 TURYN 2



NT1B TURYN 1 B



NS4 MILANO 11



NS9 MILANO 12



NS9B MILANO 12 B



NS5 HANOVER 5



W00 PLAIN



W00 PLAIN



SNU MILANO 4



SNUA MILANO 4 A



NT2B TURYN 2 B



SOJ BERGAMO 2



SJ9 NICEA 9



SBE BERLIN 4

TEMPO



ST4 UPPSALA 1



ST4A UPPSALA 1 A



ST5 UPPSALA 2



ST5A UPPSALA 2 A



ST8 RYGA



ST9 LUND



WBA ASPEN 1



TN7 ASPEN 2

CLASSIC



WJ1 NICEA 5



W91 WERONA



W54 BARCELONA



W23 OLYMPIA



TML TOKIO 1



TMLA TOKIO 1 A



TMM TOKIO 2



TMMA TOKIO 2 A



TN7B ASPEN 2 B



SR3 TROMSO



SR4 TROMSO 1



SR5 TROMSO 2



W9N WENECJA



W24 LIZBONA

DOOR COLOURS

DOOR COLOURS	MAX HEIGHT*
FSB WHITE	2200 mm
FKZ STEEL GREY	2100 mm
FKG ANTHRACITE	2200 mm
FKF DARK ANTHRACITE	2200 mm
FKC BLACK	2100 mm
FRR ALPINE WALNUT	2100 mm
FMA MAHOGANY	2087 mm
FRB BRAZILIAN WALNUT	2100 mm
FRP LIGHT WALNUT	2200 mm
FDE GOLDEN OAK	2200 mm
FDW WINCHESTER	2200 mm
FDT TURNER OAK	2087 mm
FEJ LIGHT WENGE	2100 mm

DOOR RANGE

DOOR RANGE	WIDTH	HEIGHT*
ELITE 3D	840 – 1130 mm	1950 – 2200 mm*
TEMPO**	840 – 1130 mm	1950 – 2200 mm*
CLASSIC**	920 – 1030 mm	1950 – 2100 mm*


* Certain conditions apply.

** TEMPO and CLASSIC door series double-sided design as standard.


HARDWARE OPTIONS

HANDLE - HANDLE


BLOK TW200



BERGEN TW300




BERGEN TD300




KNOB - HANDLE


BLOK TW200



BERGEN TW300



BERGEN TD300



HANDRAIL - HANDLE

MONTREAL
to combine with BLOK

AMSTERDAM
to combine with BERGEN

BERGEN TW300
& BERGEN TD200


BLOK TW200
& BLOK TW200

HANDRAIL - HANDLE

MONTREAL

AMSTERDAM

HANDRAIL SIZES



HARDWARE COLOURS

PLATINUM ANODA

SILVER ANODA


BLACK ANODA

BRUSHED INOX

ONLY HANDRAILS

CILL OPTIONS

Cills with thermal compensation available in door colour.




LOCK CYLINDERS

MAIN LOCK CYLINDER
KEY-KEY
CLASS 6
GEAR



ADDITIONAL LOCK CYLINDER
KEY-THUMB TURN
CLASS 6
CAM




VITA

CYLINDER COLOURS



SATINE NICKEL



BLACK NICKEL

AB KEY SYSTEM

A



2 x INSTALLER'S KEY
SINGLE KEY SYSTEM – ONE KEY OPERATES MAIN AND ADDITIONAL LOCK.
INSTALLER'S KEY „A“ OPERATES THE CYLINDER UNTIL „B“ KEY IS USED BY END USER.

B



5 x END USER'S KEYS
SINGLE KEY SYSTEM – ONE KEY OPERATES MAIN AND ADDITIONAL LOCK.
USE OF „B“ KEY DEACTIVATES INSTALLER'S KEYS. A SEALED OPAQUE BAG INCLUDES SET OF „B“ KEYS AND CODE CARD.

LETTERPLATE OPTIONS



BLACK ANODA



SILVER ANODA



PLATINUM ANODA

SIDE & TOP LIGHTS



GL



G



GP



L



LP



P



LGP

SIDE LIGHT


WIDTH	300 – 900 mm
HEIGHT	1950 – 2200 mm

TOP LIGHT

WIDTH	840 – 2950 mm
HEIGHT	300-500 mm

Widths and heights come in increments of 10 mm.

DOOR COLOURS



TWO-COLOUR DOOR*

To obtain a unique configuration of the door to our house, we can combine any two colors from the available TERRA palette. The outer side of the door leaf, as well as the outer frame, will then have a different color than the inner side. In this way, we can even better match the style of the door to the design of the façade and interior. That option is available with an extra charge. Without extra charges, there is also available to order door leaf in a selected color with a frame in a different color.



DOOR COLOURS

RED FKR	LIGHT BLUE FKP	BLUE FNI	COBALT BLUE FKW
PISTACHIO FPI	LIGHT GREEN FKU	DARK GREEN FKK	ALSO AVAILABLE  RAL COLOUR RANGE

INSERT COLOURS

BLACK RAL 9005	BRUSHED INOX
---------------------------	-------------------------

GLASS COLOURS

CLEAR 	MATTE 	MIRA STAR 
REFLEX GRAPHITE 	REFLEX BROWN 	

tedee smart locks



tedee GO

Replace nothing. Keep your keys.

Just add a smart lock to your existing setup.

For those who want to keep it simple and enjoy the main smart lock features.

tedee PRO

Enter with pleasure.

Experience the luxurious feel of top-notch materials and award-winning design.

Enjoy the most superior smart lock on the market. Sleek, quiet, and with a unique look.



Add extra smart benefits



tedee smart bridge

Your front door remote

Connect your smart lock to the internet to control your door from wherever you are.

Unlock your door remotely, check the real-time smart lock's activity, and control it using one easy mobile widget.

tedee keypad with biometrics

Unlock with your PIN

Put a small keypad outside your home to unlock the door without keys or smart devices.

Just use the PINs or fingerprint for access sharing and security whilst maintaining total privacy.



tedee smart relay module

Make gates and garages smart

Manage your street entrance, front gate, and garage door, all in one app.

Replace your remote control, fobs, cards or keys with your mobile phone.

Choose your **tedee** smart lock



Tedee GO



Tedee PRO

Max diameter	57mm	45mm
Depth	63mm	55mm
Power source	3 x replaceable CR123A/R batteries	Rechargeable Li-Po accumulator
Battery life	Up to 6-8 months	Up to 6-10 months
Installation method	On top of the existing European cylinder	Tedee-compatible European cylinder
Available adapter	Scandinavian, US Deadbolt	European, Scandinavian, US Deadbolt
Available smart home integrations*	Hey Google	Apple Home Homey Hey Google FIBARO Amazon Alexa and 10+ more

Full compatibility with inward-opening doors

Compatibility on outward-opening doors

Cylinder to doorframe distance **	min 40mm	min 30mm
-----------------------------------	----------	----------

* Status for June 2023

** Measured from the inside with the door closed: the distance between the cylinder axis and the door frame.



FEATURES & BENEFITS



CLASS 6 LOCK CYLINDERS INCLUDED

ANTI-BURGLARY TUMBLER LOCK INSERT. NEW LOCK INSERT DESIGN SECURED AGAINST 'LOCK BUMPING', WITH EFFECTIVE DRILL OPENING PROTECTION.



INSTALL A TEDEE LOCK

SLIDE THE LOCK ONTO A GERDA INSERT, ADJUST THE LOCK POSITION AND SECURE IT WITH ONE BOLT. INSTALLATION TAKES NO MORE THAN TWO MINUTES. INSPECT TO SEE WHETHER THE BOLTS SLIDE UPON TURNING THE KNOB.



INSTALL THE SMARTPHONE APP

DOWNLOAD THE TEDEE APP FROM APPLE STORE OR GOOGLE PLAY. SIGN UP AND ACTIVATE YOUR BLUETOOTH, LOCATION SERVICE AND INTERNET ACCESS. ADD YOUR LOCK AND ENTER THE ACTIVATION CODE.



CONNECT THE BRIDGE

FIND A FREE POWER SOCKET NEXT TO THE TEDEE LOCK AND PLUG THE BRIDGE IN. THIS WILL ENABLE YOU TO CONTROL THE LOCK OVER THE INTERNET FROM WHEREVER YOU ARE.



TEMPO · NSS MILANO 12 · STEEL GREY · INSERT INOX · AMSTERDAM · BERGEN TW300



TEMPO · SBE BERLIN 4 · WINCHESTER · INSERT INOX · MONTREAL · BLOK TW200 · SIDE LIGHT P MATTE

TEMPO · NT1 TURYN 1 · GOLDEN OAK · INSERT INOX · MONTREAL · BLOK TW200



TEMPO · NS6B HANOVER 6 B · WHITE · INSERT BLACK · AMSTERDAM · BERGEN TW300



TEMPO · SOJ BERGAMO 2 · DARK ANTHRACITE · INSERT INOX · MONTREAL · BLOK TW200 · SIDE LIGHT P MATTE



GERDA®

SUPERBLY ENGINEERED DOORS



TEMPO · TN7 ASPEN 2 · DARK ANTHRACITE · INSERT INOX · MONTREAL · BLOK TW200

www.gerdadoors.co.uk
sales@gerdadoors.co.uk

Distributor